

Reported date: 28/02/2023

CERTIFICATE OF ANALYSIS

No: C-AR03190-4-1-1

| Sample Information | | | |
|----------------------|-------------------|--------------------|------------|
| Description: | 3000mg THC Free | Sample condition | Conforms |
| | | Storage conditions | Ambient |
| PV ID: | AR03190-4 | Received date | 21/02/2023 |
| Batch No: | ESS3000BS | Test started date | 23/02/2023 |
| Customer Information | | | |
| Name | Essican Pure Life | | |
| Address | Unit 2A, CT17 0UB | | |

Results apply to sample as received and only relate to the items tested, calibrated or sampled

| Method ID | Technique | Analyte | Result | Units | LOQ |
|---|-------------|---|---------|---------|------|
| PVSOP-47 | HPLC-DAD/UV | Cannabidiol (CBD) | 3222.42 | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Cannabidiolic acid (CBDA) | <LOQ | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Cannabidivarin (CBDV) | 35.77 | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Cannabidivarinic acid (CBDVA) | <LOQ | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Cannabigerol (CBG) | 119.73 | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Cannabigerolic acid (CBGA) | <LOQ | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Cannabichromene (CBC) | 0.91 | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Cannabichromenic acid (CBCA) | <LOQ | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Cannabicyclol (CBL) | <LOQ | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Tetrahydrocannabivarinic acid (THCVA) | <LOQ | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Tetrahydrocannabivarin (THCV) | 1.89 | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Cannabinol (CBN) | 1.99 | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Δ 9-Tetrahydrocannabinol (Δ 9-THC) | 1.40 | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Δ 8-Tetrahydrocannabinol (Δ 8-THC) | <LOQ | mg/10ml | 0.24 |
| PVSOP-47 | HPLC-DAD/UV | Δ 9-Tetrahydrocannabinolic acid A (Δ 9-THCA-A) | <LOQ | mg/10ml | 0.24 |
| Quantifiable THCV + CBN + Δ 8-THC + Δ 9-THC | | | 5.27 | mg/10ml | |

Additional information:

Reviewed By:



Natalie Dunn
Analytical Chemist



20213

Opinions and interpretation are outside of the scope of any accreditation. By placing the order for services with Phytovista Laboratories, terms and conditions are deemed to be accepted by the submitter. Report shall not be reproduced, except in full, without the approval of the testing laboratory.